

List of Plants

C BICYCLOGERMACRENE

Chemid

BICYCLOGERMACRENE

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Plant Part	Low PPM	High PPM	StdDev	*Reference
Acinos alpinus	Shoot	--	30.0	-0.74	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinus alpinus</i> (L.) Moench ssp. <i>meridionalis</i> (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acinos alpinus	Shoot	--	30.0	-0.74	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of <i>Acinus alpinus</i> (L.) Moench ssp. <i>meridionalis</i> (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Aloysia citrodora	Plant	24.0	168.0	0.06	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Angelica archangelica	Root	--	--		*
Artemisia pallens	Plant	78.0	348.0	1.35	*
Artemisia salsolooides	Shoot	--	50.0	-0.66	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Aremisia salsolooides</i> Willd. from Ladakh,Flavour and Fragrance journal, Vol.7, 299-305.
Coriandrum sativum	Seed Essent. Oil	--	400.0		*
Dracocephalum parviflora	Plant	--	15.0	-1.03	*
Eucalyptus tetraptera	Leaf	--	455.0	-0.2	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus forrestiana	Leaf	--	4065.0	0.39	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus ceratocorys	Leaf	--	6.0	-0.28	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus desquamata	Leaf	--	15.0	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359- 364
Eucalyptus lansdowneana	Leaf	--	1540.0	-0.03	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359- 364
Eucalyptus fasiculosa	Leaf	--	1.3	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359- 364
Eucalyptus cuprea	Leaf	--	8.0	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359- 364
Eucalyptus populnea	Leaf	--	1.8	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359- 364
Eucalyptus citriodora	Leaf Essent. Oil	--	10000.0		*
Eucalyptus stoatei	Leaf	--	100.0	-0.26	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus erythrandra	Leaf	--	245.0	-0.24	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumaria, Series Incrastatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus melanophloia	Leaf	--	480.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subjenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359- 364

intertexta					Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf	--	40.0	-0.27	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus ochrophloia	Leaf	--	0.5	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus largisparsa	Leaf	--	4.6	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus incrassata	Leaf	--	200.0	-0.25	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumarria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus dolichorhyncha	Leaf	--	460.0	-0.2	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumarria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus angulosa	Leaf	--	55.0	-0.27	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson, J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Sympyomyrtus,Section Dumarria, Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus viridis	Leaf	--	0.5	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus leucoxylon	Leaf	--	545.0	-0.19	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus porosa	Leaf	--	5175.0	0.57	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus behriana	Leaf	--	2.7	-0.28	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus sparsa	Leaf	--	32095.0	5.0	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Sympyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Humulus lupulus	Fruit	--	10.0		*
Hyssopus officinalis	Shoot	--	430.0	0.98	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	510.0	1.32	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	460.0	1.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	520.0	1.36	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	460.0	1.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	420.0	0.93	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	520.0	1.36	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	540.0	1.45	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	760.0	2.39	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Hyssopus officinalis	Shoot	--	480.0	1.19	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop (<i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
Laurus nobilis	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Lindera benzoin	Leaf	--	3.0	-0.28	*
Melaleuca alternifolia	Essential Oil	--	1300.0	-1.0	*
Melissa officinalis	Shoot	1.0	8.0	-0.84	Deutsche Apot. Zitt. 129(4):155-163. W. Schulze et al. Die Melisse.
Mentha aquatica	Shoot	--	6.0	-0.85	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. Nippon Nogeikagaku Kaishi 67(10): 1417-1419.
Mentha	Shoot	--	2.0	-0.86	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing

<i>Mentha aquatica</i>	Shoot	--	2.0	-0.86	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Mentha aquatica</i>	Shoot	--	5.0	-0.85	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Mentha aquatica</i>	Shoot	--	7.0	-0.84	Umemoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of <i>Mentha aquatica</i> Containing Sesquiterpene Alcohols as Major Components. <i>Nippon Nogeikagaku Kaishi</i> 67(10): 1417-1419.
<i>Metrosideros sclerocarpa</i>	Leaf	40.0	160.0	-0.25	*
<i>Micromeria fruticosa</i>	Shoot	--	50.0	-0.66	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
<i>Micromeria fruticosa</i>	Shoot	--	50.0	-0.66	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res</i> 3: 477-479.
<i>Moldavica parviflora</i>	Plant	--	15.0	-1.03	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum vulgare</i>	Shoot Essent. Oil	--	14300.0		*
<i>Origanum majorana</i>	Plant	12.0	69.0	-0.64	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum vulgare</i>	Plant	51.0	340.0	1.29	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Origanum majorana</i>	Essential Oil	--	27000.0	1.0	*
<i>Panax quinquefolius</i>	Plant	--	--		*
<i>Panax ginseng</i>	Root	--	--		*
<i>Panax ginseng</i>	Plant	--	--		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
<i>Pelargonium citrosum</i>	Shoot	--	0.6	-0.87	Matsuda, B. M., et al. 1996. Essential Oil Analysis and Field Evaluation of the Citrosa Plant ' <i>Pelargonium citrosum</i> ' as a Repellent Against Populations of <i>Aedes</i> Mosquitoes. <i>J. Am. Mosq. Contr. Assoc.</i> 12(1):69-74.
<i>Petroselinum crispum</i>	Leaf	--	5.16	-0.28	*
<i>Pycnanthemum montanum</i>	Shoot	63.0	72.0	-0.56	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pilosum</i>	Leaf	19.0	70.0	-0.27	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum incanum</i>	Shoot	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pilosum</i>	Flower	19.0	70.0		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Satureja douglasii</i>	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Satureja grandiflora</i>	Shoot	--	90.0	-0.48	Carnat, A., Chossegros, A., and Lamaison, J. 1991. The Essential Oil of <i>Satureja grandiflora</i> (L.) Scheele from France. <i>J. Ess. Oil Res.</i> , 3: 361-362
<i>Tagetes lucida</i>	Shoot	--	35.0	-0.72	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of <i>Tagetes lucida</i> Cav. ssp. <i>lucida</i> essential oil. <i>Flavor & Fragrance</i> , 12(1): 47-52.
<i>Tanacetum parthenium</i>	Root	--	4.0		*
<i>Teucrium gnaphalodes</i>	Shoot	--	1.5	-0.86	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium polium</i>	Shoot	--	5.0	-0.85	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Thymus funkii</i>	Shoot	--	170.0	-0.14	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Thymus funkii</i>	Shoot	--	170.0	-0.14	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> Cousson. <i>Flav. & Fragr. J.</i> 10(6): 379-383.
<i>Vitex agnus-castus</i>	Fruit	--	--		*
<i>Vitex agnus-castus</i>	Leaf	--	--		*
<i>Vitex agnus-castus</i>	Flower	--	--		*

